



COMPLETE Floor Finish

HMIS		NFPA	Personal protective equipment
Health	1	1	None / Aucune / Ninguno
Flammability	0	0	
Physical Hazard / Instability	0	0	

Version Number: 2

Preparation date: 2014-12-02

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: COMPLETE Floor Finish

MSDS #: 114650035

Product Code: 04649, 04651, 04654, 04657, 105603, 114650035, 114650X, 5104773***

Recommended use:

- Industrial/Institutional
- Floor finish for professional use***

Manufacturer, importer, supplier:

US Headquarters Diversey, Inc. 8310 16th St. Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com	Canadian Headquarters Diversey, Inc. - Canada 3755 Laird Road Mississauga, Ontario L5L 0B3 Phone: 1-800-668-3131
--	--

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW
CAUTION. MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.***

Principal routes of exposure: Eye contact. Skin contact. Inhalation.***

Eye contact: May be mildly irritating to eyes.***

Skin contact: May be mildly irritating to skin.***

Inhalation: None known.

Ingestion: None known.***

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Diethylene glycol monoethyl ether***	111-90-0	1 - 5%	5500***	Not available	>5240 mg/m ³ (4 h)***
Ethylene glycol***	107-21-1	1 - 5%	4000***	Not available	Not available

4. FIRST AID MEASURES

Eye contact: Flush immediately with plenty of water. If irritation develops, get medical attention.***

Skin contact: Flush immediately with plenty of water. If irritation develops, get medical attention.***

Inhalation: No specific first aid measures are required.***

Ingestion: No specific first aid measures are required.***

Aggravated Medical Conditions: None known.***

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.
Extinguishing media which must not be used for safety reasons: No information available.
Specific hazards: None known.
Unusual hazards: None known.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Contaminated surfaces will be extremely slippery. Use personal protective equipment.
Environmental precautions and clean-up methods: Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin and eyes.*** FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.***

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:
 No special ventilation requirements General room ventilation is adequate***

Personal Protective Equipment

Eye protection: No special requirements under normal use conditions.***
Hand protection: No special requirements under normal use conditions***
Skin and body protection: No special requirements under normal use conditions.***
Respiratory protection: No special requirements under normal use conditions.***
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.***

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Ethylene glycol***	107-21-1	100 mg/m ³ (Ceiling)***		100 mg/m ³ (Ceiling)***

9. PHYSICAL AND CHEMICAL PROPERTIES

<p>Physical State: Liquid Appearance: Aqueous solution Specific gravity: 1.02 Vapor density: No information available Boiling point/range: Not determined Decomposition temperature: Not determined Solubility: Completely Soluble Solubility in other solvents: No information available Partition coefficient (n-octanol/water): No information available Elemental Phosphorus: 0.07 % by wt. pH: 9.2 Explosion limits: - upper: Not determined - lower: Not determined</p>	<p>Bulk density: No information available Evaporation Rate: No information available Color: Opaque, Tan Odor: Ammonia Melting point/range: Not determined Autoignition temperature: No information available Density: 8.51*** lbs/gal 1.02*** Kg/L Flash point: >*** 200*** °F*** >*** 93.3*** °C*** Viscosity: No information available VOC: 0.12 % * Dilution pH: 9.2 @ RTU</p>
--	--

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability: The product is stable
Polymerization: Hazardous polymerization does not occur.
Hazardous decomposition products: None reasonably foreseeable.
Conditions to avoid: Do not freeze.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Oral LD50 estimated to be greater than 5000 mg/kg; Dermal LD50 estimated to be > 2000 mg/kg
Component Information: See Section 3.
Chronic toxicity: None known

Specific effects

Carcinogenic effects: • None known
Mutagenic effects: None known
Reproductive toxicity: None known
Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: No data available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:
 Dispose of according to all federal, state and local applicable regulations.

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, only available through Internet Explorer, <http://naextranet.diverse.com/dot/>, for up to date shipping information.

DOT (Ground) Bill of Lading Description: BUFFING OR POLISHING COMPOUNDS

IMDG (Ocean) Bill of Lading Description: Same as DOT above.***

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA).***

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water***	7732-18-5	-	-	-	-
α-Methylstyrene, styrene, butyl acrylate, methyl methacrylate, methacrylic acid copolymer***	64461-17-2	-	-	-	-
Acrylic polymer***	Proprietary	-	-	-	-
Diethylene glycol monoethyl ether***	111-90-0	-	X***	-	-
Ethylene glycol***	107-21-1	X***	X***	X***	X***

CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethylene glycol monoethyl ether***	111-90-0	1 - 5%			X***
Ethylene glycol***	107-21-1	1 - 5%	5000***		X***

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol monoethyl ether***	X		
Ethylene glycol***	X***		

SARA 311/312 Hazard Categories

Immediate: -
Delayed: -
Fire: -
Reactivity: -
Sudden Release of Pressure: -

Canada

WHMIS hazard class: Non-controlled.

Ingredient(s)	CAS #	NPRI
Ethylene glycol***	107-21-1	X***

16. OTHER INFORMATION

Reason for revision: Not applicable
Prepared by: NAPRAC

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.